

Product no.: 0073132

Current version: 7.1.0. issued: 14.03.2023 Replaced version: 7.0.0, issued: 22.11.2022 Region: GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product identifier

Trade name

einzA mix Aqua All-Grund, Basis 1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

decorative paints/finishes

Uses advised against

No data available

1.3 Details of the supplier of the safety data sheet

Address

einzA Farben GmbH & Co KG

Junkersstraße 13 30179 Hannover

Telephone no. +49 (0)511 67490-0 +49 (0)511 67490-20 Fax no e-mail info@einzA.com

Advice on Safety Data Sheet

sdb info@umco.de

Emergency telephone number

For medical advice (in German and English): +49 (0)551 192 40 (Giftinformationszentrum Nord)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

This product does not meet the classification criteria given in the Regulation (EC) No 1272/2008 (CLP).

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)

Hazard pictograms

Signal word

Hazard statement(s)

Hazard statements (EU)

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, 2-methyl-2H-isothiazol-3-one. May produce an

allergic reaction.

EUH210 Safety data sheet available on request.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe

spray or mist.

Precautionary statement(s)

Labelling information

EU safety data sheet



Trade name: einzA mix Aqua All-Grund, Basis 1

Product no.: 0073132

Current version: 7.1.0, issued: 14.03.2023 Region: GB Replaced version: 7.0.0, issued: 22.11.2022

The labelling (EU hazard statements) meets the criteria of annex II of Directive (EC) Nr. 1272/2008 (CLP).

2.3 Other hazards

PBT assessment

The components of this product are not considered to be a PBT.

vPvB assessment

The components of this product are not considered to be a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Not applicable. The product is not a substance.

3.2 **Mixtures**

Hazardous ingredients

No	Substance name		Additional information	
	CAS / EC / Index /	Classification (EC) 1272/2008 (CLP)	Concentration	%
	REACH no			
1		n powder form containing 1 % or more of		
	particles with aero	dynamic diameter ≤ 10 μm]		
	13463-67-7	Carc. 2; H351i	>= 10.00 - < 25.00	wt%
	236-675-5			
	022-006-00-2			
	01-2119489379-17			
2	1,2-benzisothiazol-3(2H)-one		pls. refer to footnote (1)	
1	2634-33-5	Acute Tox. 4*; H302	< 0.05	wt%
	220-120-9	Eye Dam. 1; H318		
	613-088-00-6	Skin Irrit. 2; H315		
	-	Skin Sens. 1; H317		
		Acute Tox. 2; H330		
		Aquatic Acute 1; H400		
		Aquatic Chronic 2; H411		
3	pyridine-2-thiol 1-o	xide, sodium salt		
	3811-73-2	Acute Tox. 4; H302	< 0.10	wt%
	223-296-5	Acute Tox. 4; H332		
	-	Aquatic Acute 1; H400		
	-	Aquatic Chronic 2; H411		
		Eye Dam. 1; H318		
4	2-methyl-2H-isothia			
	2682-20-4	Acute Tox. 2; H330	< 0.10	wt%
	220-239-6	Acute Tox. 3; H301		
	613-326-00-9	Acute Tox. 3; H311		
	-	Aquatic Acute 1; H400		
		Aquatic Chronic 1; H410		
		EUH071		
		Eye Dam. 1; H318		
		Skin Corr. 1B; H314		
		Skin Sens. 1A; H317		

Full Text for all H-phrases and EUH-phrases: pls. see section 16

(*,***,****) Detailed explanation pls. refer to CLP regulation No. 1272/2008, annex VI, 1.2
(1) Aberrant from/in addition to the classification set out in Annex VI, this substance is classified according to European Regulation (EC) No 1272/2008 (CLP), Article 4 (3), paragraph 2.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	V, W, 10	-	-	-
2	-	Skin Sens. 1; H317: C >= 0.05%	-	-
3	-	-	M = 100	-
4	-	Skin Sens. 1A; H317: C >= 0.0015%	M = 10	M = 1

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".



Product no.: 0073132

Current version: 7.1.0, issued: 14.03.2023 Reglaced version: 7.0.0, issued: 22.11.2022 Region: GB

No	Route, target organ, concrete effect
1	H351i
	inhalational; -; -

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

After inhalation

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

After skin contact

Remove contaminated clothing. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.

After eye contact

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Alcohol resistant foam, CO2, powders, water spray

Unsuitable extinguishing media

water jet.

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon monoxide (CO); Carbon dioxide (CO2); Toxic pyrolysis products; Exposure to decomposition products may cause a health hazard.

5.3 Advice for firefighters

Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses. Appropriate breathing apparatus may be required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Exclude sources of ignition and ventilate the area. Avoid breathing vapours. Refer to protective measures listed in sections 7 and 8.

For emergency responders

No data available. Personal protective equipment (PPE) - see Section 8.

6.2 Environmental precautions

Is not allowed to be released into the sewerage or water courses. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

6.3 Methods and material for containment and cleaning up



Product no.: 0073132

Current version: 7.1.0, issued: 14.03.2023 Reglaced version: 7.0.0, issued: 22.11.2022 Region: GB

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Due to the organic solvents' content of the mixture: Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. The product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Avoid the inhalation of dust, particulates and spray mist arising from the application of this mixture. Dry sanding, flame cutting and/or welding of the dry paint film may give rise to dust and/or hazardous fumes. Wet [sanding]/[flatting] should be used wherever possible. Avoid inhalation of dust from sanding. For personal protection see section 8.

General protective and hygiene measures

Avoid skin and eye contact. Do not eat or drink during work - no smoking. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Advice on protection against fire and explosion

Isolate from sources of heat, sparks and open flame. No sparking tools should be used. Electrical equipment should be protected to the appropriate standard. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Comply with legal health and safety regulations; Prevent unauthorised access. Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Keep away from sources of ignition. No smoking.

Requirements for storage rooms and vessels

Always keep in containers of same material as the original one. Never use pressure to empty: container is not a pressure vessel. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed. Observe label precautions.

Incompatible products

Store away from oxidising agents, from strongly alkaline and strongly acid materials.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.		EC no.
1	titanium dioxide; [in powder form containing 1 % or	13463-67-7		236-675-5
	more of particles with aerodynamic diameter ≤ 10			
	μm]			
	List of approved workplace exposure limits (WELs) / I	EH40		
	Titanium dioxide			
	total inhalable dust			
	WEL long-term (8-hr TWA reference period)	10	mg/m³	
	List of approved workplace exposure limits (WELs) / I	EH40		
	Titanium dioxide			
	respirable dust			
	WEL long-term (8-hr TWA reference period)	4	ma/m³	

DNEL, DMEL and PNEC values

DNEL values (worker)



Product no.: 0073132

Current version: 7.1.0, issued: 14.03.2023 Reglaced version: 7.0.0, issued: 22.11.2022 Region: GB

No	Substance name			CAS / EC no	
	Route of exposure			Value	
1	titanium dioxide; [in powder form containing 1 % or more of particles with			13463-67-7	
	aerodynamic diameter ≤ 10 µm]			236-675-5	
	inhalative	Long term (chronic)	local	1.25	mg/m³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	titanium dioxide; [in powder form containing 1 % or more of particles with			13463-67-7	
	aerodynamic diameter ≤ 10 µm]			236-675-5	
	inhalative	Long term (chronic)	local	210	μg/m³

8.2 Exposure controls

Appropriate engineering controls

Provide good ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the exposure limits. In case of brush application: Filter A2. When applied by spraying: Filter A2P2. (DIN EN 14387)

Eye / face protection

Wear safety googles to protect against splashes. Safety glasses with side protection shield (EN 166)

Hand protection

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific workstation suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material In case of short-term contact / splash protection: nitrile rubber

Material thickness>0.4mmBreakthrough time>120minAppropriate MaterialIn case of prolonged exposure: nitrile rubberMaterial thickness>0.4mmBreakthrough time>480min

Other

Personnel should wear anti-static clothing made of natural fibre or of high temperature resistant synthetic fibre.

Environmental exposure controls

Do not allow to enter drains or water courses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation		
liquid		
-		
Form liquid		
liquid		
Colour		

Coloui	
according to product name	

Odour	
characteristic	

EU safety data sheet



Trade name: einzA mix Aqua All-Grund, Basis 1

Product no.: 0073132

Solvent separation test
Not applicable

Current version: 7.1.0, issued: 14.03.2023 Replaced version: 7.0.0, issued: 22.11.2022 Region: GB

allusius					
pH value Value	8.5		8.8		
	0.0		0.0		
Boiling point / boiling range Value	appr.		100	°C	
	Γαρρι.		100	0	
Melting point/freezing point No data available					
Decomposition temperature No data available					
Flash point					
Not applicable					
Ignition temperature					
No data available					
Oxidising properties					
Not applicable					
Flammability					
Not applicable					
Lower explosion limit					
No data available					
Upper explosion limit					
No data available					
Vapour pressure					
Value	<		100	hPa	
Reference temperature			50	°C	
Relative vapour density					
No data available					
Relative density					
No data available					
Density					
Value	appr.		1.28	g/cm³	
Reference temperature Method	DIN 51757		20	°C	
	DIN 31737				
Solubility in water	miscible				
Comments	miscible				
Solubility					
No data available					
Partition coefficient n-octanol/water (log valu	e)				
No Substance name 1 titanium dioxide; [in powder form contai	ning 1 % or		63-67-7		EC no. 236-675-5
more of particles with aerodynamic diam	neter ≤ 10	134	00-01-1		230-073-3
μm]					
Not applicable	LECUA				
Source	ECHA				
Kinematic viscosity			0000		
Value Reference temperature	2500	J -	3000 20	mPa*s °C	
Method	DIN 53019		20		
-					

Particle characteristics
No data available



Product no.: 0073132

Current version: 7.1.0, issued: 14.03.2023 Reglaced version: 7.0.0, issued: 22.11.2022 Region: GB

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage and handling conditions (See section 7).

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Keep away from oxidizing agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acu	te oral toxicity				
No	Substance name		CAS no.		EC no.
1	titanium dioxide; [in powder form contai more of particles with aerodynamic dian μm]		13463-67-7		236-675-5
LD5	0	>		2000	mg/kg bodyweight
Spe	cies	rat			
Meth	nod	OECD 401			
Sou	rce	ECHA			
Eval	uation/classification	Based on av	ailable data, the	e classification	on criteria are not met.

Acute dermal toxicity No data available

Acu	Acute inhalational toxicity					
No	Substance name		CAS no.		EC no.	
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam		13463-67-7		236-675-5	
	μm]					
LC5	0			5.09	mg/l	
Dura	ation of exposure			4	h	
State	e of aggregation	Dust				
Spec	cies	rat				
Meth	nod	OECD 403				
Soui	rce	ECHA				
Eval	uation/classification	Based on av	ailable data, the	e classificati	ion criteria are not met.	

Skir	Skin corrosion/irritation				
No	Substance name		CAS no.	EC no.	
1	titanium dioxide; [in powder form contai more of particles with aerodynamic dian µm]		13463-67-7	236-675-5	
Spec Meth Sour Eval	nod	rabbit OECD 404 ECHA non-irritant			



Product no.: 0073132

Current version: 7.1.0, issued: 14.03.2023 Replaced version: 7.0.0, issued: 22.11.2022 Region: GB

Evaluation/classification Based on available data, the classification criteria are not met.

Seri	Serious eye damage/irritation					
No	Substance name		CAS no.	EC no.		
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diamum]		13463-67-7	236-675-5		
Spe	cies	rabbit				
Meth	nod	OECD 405				
Soul	rce	ECHA				
Eval	uation	non-irritant				
Eval	uation/classification	Based on av	ailable data, the clas	ssification criteria are not met.		

Res	Respiratory or skin sensitisation					
No	Substance name	CAS no.	C no.			
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam µm]		36-675-5			
Rout	te of exposure	Skin				
Spec	cies	mouse				
Meth	nod	OECD 429				
Soul	rce	ECHA				
Eval	uation	non-sensitizing				
Eval	uation/classification	Based on available data, the classification c	riteria are not met.			

Germ cell mutagenicity			
No Substance name	CAS no. EC no.		
1 titanium dioxide; [in powder form conta more of particles with aerodynamic dia			
µm]			
Type of examination	In vitro mammalian cytogenicity		
Method	OECD 487		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure	oral		
Type of examination	In vivo mammalian somatic cell study: cytogenicity / erythrocyte		
	micronucleus		
Species	rat		
Method	OECD 474		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Rep	Reproduction toxicity					
No	Substance name	CAS no.	EC no.			
1	titanium dioxide; [in powder form contain		236-675-5			
	more of particles with aerodynamic diam	eter ≤ 10				
	μm]					
Rout	te of exposure	oral				
NOA	\EL	>= 1000) mg/kg bw/d			
Туре	e of examination	Reproductive studies - one genera	tion			
Spec	cies	rat				
Meth	nod	OECD 443				
Sour	-ce	ECHA				
Eval	uation/classification	Based on available data, the classi	ification criteria are not met.			
Rout	te of exposure	oral				
NOA	EL	1000) mg/kg bw/d			
Туре	e of examination	Prenatal Developmental Toxicity St	tudy			
Spec	cies	rat				
Meth	nod	OECD 414				
Sour	ce	ECHA				
Eval	uation/classification	Based on available data, the classi	ification criteria are not met.			

Card	cinogenicity			
No	Substance name	CAS no.	EC no.	



Product no.: 0073132

Current version: 7.1.0, issued: 14.03.2023 Replaced version: 7.0.0, issued: 22.11.2022 Region: GB

1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam μ m]		13463-67-7		236-675-5
Rout	te of exposure	oral			
NOE	L			7500	mg/kg bw/d
Spec	cies	mouse			
Soul	rce	ECHA			
Eval	uation/classification	Based on av	ailable data, the	classificati	on criteria are not met.

STOT - single exposure

No data available

STO	T - repeated exposure			
No	Substance name		CAS no.	EC no.
1	titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm]		13463-67-7	236-675-5
Rou	te of exposure	oral		
NOA	NEL	>	962	mg/kg bw/d
Spe	cies	rat		
Meth	nod	OECD 408		
Soul	rce	ECHA		
Eval	uation/classification	Based on av	ailable data, the classifica	ation criteria are not met.
Rou	te of exposure	inhalational		
Spe	cies	rat		
Soul	rce	ECHA		
Eval	uation/classification	Based on av	ailable data, the classifica	ation criteria are not met.

Aspiration hazard

No data available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation and reversible damage. Ingestion may cause nausea, diarrhoea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)
No data available

Toxicity to fish (chronic)

No data available

Toxicity to Daphnia (acute)

No data available

Toxicity to Daphnia (chronic)

No data available

Toxicity to algae (acute)



Product no.: 0073132

Current version: 7.1.0, issued: 14.03.2023 Replaced version: 7.0.0, issued: 22.11.2022 Region: GB

No	Substance name		CAS no.		EC no.
1	titanium dioxide; [in powder form contai more of particles with aerodynamic diam µm]		13463-67-7		236-675-5
EC5	0	>		100	mg/l
Dura	ation of exposure			72	h
Spe	cies	Raphidocelis	subcapitata		
Met	nod	OECD 201	•		
Sou	rce	ECHA			
Eva	uation/classification	Based on the	e available data,	the classification	ation criteria are not met.

Toxicity to algae (chronic)

No data available

Bacteria toxicity
No data available

12.2 Persistence and degradability

Biod	Biodegradability						
No	Substance name	CAS no.	EC no.				
1	titanium dioxide; [in powder form contain more of particles with aerodynamic diam µm]		236-675-5				
Soul	Source ECHA						
Eval	Evaluation Not applicable for inorganic substances.						

12.3 Bioaccumulative potential

Part	Partition coefficient n-octanol/water (log value)				
No	Substance name	CAS no.	EC no.		
1	titanium dioxide; [in powder form containi more of particles with aerodynamic diame um]	•	236-675-5		
	Not applicable				
Sour	rce	CHA			

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The components of this product are not considered to be a PBT.
vPvB assessment	The components of this product are not considered to be a vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information	
Do not allow to enter drains or water courses.	

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste code 08 01 11* waste paint and varnish containing organic solvents or other hazardous substances

The listed waste code numbers, according to the European Waste Catalogue, are to be understood as a recommendation. A final decision must be made in agreement with the regional waste disposal company. Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility.



Product no.: 0073132

Current version: 7.1.0, issued: 14.03.2023 Replaced version: 7.0.0, issued: 22.11.2022 Region: GB

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer. Empty containers must be scrapped or reconditioned.

SECTION 14: Transport information

14.1 Transport ADR/RID/ADN

The product is not subject to ADR/RID/ADN regulations.

14.2 Transport IMDG

The product is not subject to IMDG regulations.

14.3 Transport ICAO-TI / IATA

The product is not subject to ICAO-TI / IATA regulations.

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

Transport within the user's premises: Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	1,2-benzisothiazol-3(2H)-one	2634-33-5	220-120-9	75
2	pyridine-2-thiol 1-oxide, sodium salt	3811-73-2	223-296-5	75
3	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]	13463-67-7	236-675-5	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is not subject to Part 1 or 2 of Annex I.

Directive 2010/75/EU on industrial emissions	(integrated pollution prevention and control)
VOC content	3.20 %

Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products



Product no.: 0073132

Current version: 7.1.0, issued: 14.03.2023 Reglaced version: 7.0.0, issued: 22.11.2022 Region: GB

relevant VOC limit value as referred to in Annex II of Directive 2004/42/CE, Cat.: i, type: wb = 140 g/l Max. VOC content (limit value) of the product in its ready for use condition = < 140 g/l

National regulations

Other national regulations

Adhere to national regulations for proper handling and use of hazardous materials. Use appropriate personal protective equipment.

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information

Sources of key data used to compile the data sheet:

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

EUH071 Corrosive to the respiratory tract.

H301 Toxic if swallowed.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled. H332 Harmful if inhaled.

H351i Suspected of causing cancer by inhalation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

If the substance is to be placed on the market as fibres (with diameter $< 3 \mu m$, length > 5

µm and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.

It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle

clearance mechanisms in the lung.

This note aims to describe the particular toxicity of the substance; it does not constitute a

criterion for classification according to this Regulation.

1 The concentration stated or, in the absence of such concentrations, the generic

concentrations of this Regulation (Table 3.1) or the generic concentrations of Directive 1999/45/EC (Table 3.2), are the percentages by weight of the metallic element calculated

with reference to the total weight of the mixture.

Creation of the safety data sheet

UMCO GmbH

\٨/

Georg-Wilhelm-Str. 187, D-21107 Hamburg

Tel.: +49 40 / 555 546 300 Fax: +49 40 / 555 546 357 e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

EU safety data sheet



Trade name: einzA mix Aqua All-Grund, Basis 1

Product no.: 0073132

Current version: 7.1.0, issued: 14.03.2023 Replaced version: 7.0.0, issued: 22.11.2022 Region: GB

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 698699